

危険段階別共済掛金率

都道府県名			山梨県		共済事業				園芸施設共済					
組合等名			山梨県農業共済組合		料率地域区分				補強施設、集団加入					
地域名			山梨県の区域											
施設区分			共済掛金区分											
40 プラスチックハウスⅡ類(パイプ)			特定附帯											
小損害不填補の金額			3万円		10万円		20万円		50万円		100万円		1万円	
共済掛金標準率			2.164	0.023	1.908	0.021	1.672	0.019	1.348	0.015	0.904	0.015	2.165	0.023
危険段階区分	平均損害率(*)の範囲(%)	危険指数	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
20	197.5 ≤* <	3.41913	4.443	0.047	3.917	0.043	3.433	0.039	2.767	0.031	1.856	0.031	4.445	0.047
19	192.5 ≤* < 197.5	2.02316	2.364	0.025	2.085	0.023	1.827	0.021	1.473	0.016	0.988	0.016	2.365	0.025
18	187.5 ≤* < 192.5	1.99675	2.331	0.025	2.055	0.023	1.801	0.020	1.452	0.016	0.974	0.016	2.332	0.025
17	182.5 ≤* < 187.5	1.97035	2.298	0.024	2.026	0.022	1.776	0.020	1.431	0.016	0.960	0.016	2.299	0.024
16	177.5 ≤* < 182.5	1.94395	2.265	0.024	1.997	0.022	1.750	0.020	1.411	0.016	0.946	0.016	2.266	0.024
15	172.5 ≤* < 177.5	1.91754	2.232	0.024	1.968	0.022	1.724	0.020	1.390	0.015	0.932	0.015	2.233	0.024
14	167.5 ≤* < 172.5	1.89114	2.199	0.023	1.939	0.021	1.699	0.019	1.370	0.015	0.919	0.015	2.200	0.023
13	162.5 ≤* < 167.5	1.86473	2.166	0.023	1.909	0.021	1.673	0.019	1.349	0.015	0.905	0.015	2.167	0.023
12	157.5 ≤* < 162.5	1.83833	2.133	0.023	1.880	0.021	1.648	0.019	1.328	0.015	0.891	0.015	2.134	0.023
11	152.5 ≤* < 157.5	1.81193	2.099	0.022	1.851	0.020	1.622	0.018	1.308	0.015	0.877	0.015	2.100	0.022
10	147.5 ≤* < 152.5	1.78552	2.066	0.022	1.822	0.020	1.597	0.018	1.287	0.014	0.863	0.014	2.067	0.022
09	142.5 ≤* < 147.5	1.75912	2.033	0.022	1.793	0.020	1.571	0.018	1.267	0.014	0.849	0.014	2.034	0.022
08	137.5 ≤* < 142.5	1.73271	2.000	0.021	1.764	0.019	1.545	0.018	1.246	0.014	0.836	0.014	2.001	0.021
07	132.5 ≤* < 137.5	1.70631	1.967	0.021	1.734	0.019	1.520	0.017	1.225	0.014	0.822	0.014	1.968	0.021
06	127.5 ≤* < 132.5	1.67991	1.934	0.021	1.705	0.019	1.494	0.017	1.205	0.013	0.808	0.013	1.935	0.021
05	122.5 ≤* < 127.5	1.65350	1.901	0.020	1.676	0.018	1.469	0.017	1.184	0.013	0.794	0.013	1.902	0.020
04	117.5 ≤* < 122.5	1.62710	1.868	0.020	1.647	0.018	1.443	0.016	1.164	0.013	0.780	0.013	1.869	0.020
03	112.5 ≤* < 117.5	1.60069	1.835	0.020	1.618	0.018	1.418	0.016	1.143	0.013	0.766	0.013	1.836	0.020
02	107.5 ≤* < 112.5	1.57429	1.802	0.019	1.589	0.017	1.392	0.016	1.122	0.012	0.753	0.012	1.803	0.019
01	102.5 ≤* < 107.5	1.54788	1.769	0.019	1.559	0.017	1.366	0.016	1.102	0.012	0.739	0.012	1.769	0.019
00	97.5 ≤* < 102.5	1.52148	1.736	0.018	1.530	0.017	1.341	0.015	1.081	0.012	0.725	0.012	1.736	0.018
-01	92.5 ≤* < 97.5	1.49508	1.702	0.018	1.501	0.017	1.315	0.015	1.060	0.012	0.711	0.012	1.703	0.018
-02	87.5 ≤* < 92.5	1.46867	1.669	0.018	1.472	0.016	1.290	0.015	1.040	0.012	0.697	0.012	1.670	0.018
-03	82.5 ≤* < 87.5	1.44227	1.636	0.017	1.443	0.016	1.264	0.014	1.019	0.011	0.684	0.011	1.637	0.017
-04	77.5 ≤* < 82.5	1.41586	1.603	0.017	1.413	0.016	1.239	0.014	0.999	0.011	0.670	0.011	1.604	0.017
-05	72.5 ≤* < 77.5	1.38946	1.570	0.017	1.384	0.015	1.213	0.014	0.978	0.011	0.656	0.011	1.571	0.017
-06	67.5 ≤* < 72.5	1.36306	1.537	0.016	1.355	0.015	1.188	0.013	0.957	0.011	0.642	0.011	1.538	0.016
-07	62.5 ≤* < 67.5	1.33665	1.504	0.016	1.326	0.015	1.162	0.013	0.937	0.010	0.628	0.010	1.505	0.016
-08	57.5 ≤* < 62.5	1.31025	1.471	0.016	1.297	0.014	1.136	0.013	0.916	0.010	0.614	0.010	1.471	0.016
-09	52.5 ≤* < 57.5	1.28384	1.438	0.015	1.268	0.014	1.111	0.013	0.896	0.010	0.601	0.010	1.438	0.015
-10	47.5 ≤* < 52.5	1.25744	1.405	0.015	1.238	0.014	1.085	0.012	0.875	0.010	0.587	0.010	1.405	0.015
-11	42.5 ≤* < 47.5	1.23104	1.372	0.015	1.209	0.013	1.060	0.012	0.854	0.010	0.573	0.010	1.372	0.015
-12	37.5 ≤* < 42.5	1.20463	1.338	0.014	1.180	0.013	1.034	0.012	0.834	0.009	0.559	0.009	1.339	0.014
-13	32.5 ≤* < 37.5	1.17823	1.305	0.014	1.151	0.013	1.009	0.011	0.813	0.009	0.545	0.009	1.306	0.014
-14	27.5 ≤* < 32.5	1.15182	1.272	0.014	1.122	0.012	0.983	0.011	0.793	0.009	0.531	0.009	1.273	0.014
-15	22.5 ≤* < 27.5	1.12542	1.239	0.013	1.093	0.012	0.957	0.011	0.772	0.009	0.518	0.009	1.240	0.013
-16	17.5 ≤* < 22.5	1.09902	1.206	0.013	1.063	0.012	0.932	0.011	0.751	0.008	0.504	0.008	1.207	0.013
-17	12.5 ≤* < 17.5	1.07261	1.173	0.012	1.034	0.011	0.906	0.010	0.731	0.008	0.490	0.008	1.174	0.012
-18	7.5 ≤* < 12.5	1.04621	1.140	0.012	1.005	0.011	0.881	0.010	0.710	0.008	0.476	0.008	1.140	0.012
-19	2.5 ≤* < 7.5	1.01980	1.107	0.012	0.976	0.011	0.855	0.010	0.689	0.008	0.462	0.008	1.107	0.012
-20	0.0 ≤* < 2.5	1.00000	1.082	0.011	0.954	0.010	0.836	0.009	0.674	0.007	0.452	0.007	1.082	0.011

危険段階別共済掛金率

都道府県名			山梨県		共済事業				園芸施設共済					
組合等名			山梨県農業共済組合		料率地域区分				補強施設、集団加入					
地域名			山梨県の区域											
施設区分			共済掛金区分											
40 プラスチックハウスⅡ類(パイプ)			内作											
小損害不填補の金額			3万円		10万円		20万円		50万円		100万円		1万円	
共済掛金標準率			1.840	0.910	1.815	0.904	1.728	0.903	0.818	0.580	0.219	0.219	1.841	0.911
危険段階区分	平均損害率(*)の範囲(%)	危険指数	一般	事故除外	一般	事故除外	一般	事故除外	一般	事故除外	一般	事故除外	一般	事故除外
20	197.5 ≤* <	3.41913	3.778	1.868	3.726	1.856	3.548	1.854	1.679	1.191	0.450	0.450	3.780	1.870
19	192.5 ≤* < 197.5	2.02316	2.010	0.994	1.983	0.988	1.888	0.987	0.894	0.634	0.239	0.239	2.011	0.995
18	187.5 ≤* < 192.5	1.99675	1.982	0.980	1.955	0.974	1.861	0.973	0.881	0.625	0.236	0.236	1.983	0.981
17	182.5 ≤* < 187.5	1.97035	1.954	0.966	1.927	0.960	1.835	0.959	0.869	0.616	0.233	0.233	1.955	0.967
16	177.5 ≤* < 182.5	1.94395	1.926	0.952	1.900	0.946	1.809	0.945	0.856	0.607	0.229	0.229	1.927	0.953
15	172.5 ≤* < 177.5	1.91754	1.898	0.939	1.872	0.932	1.782	0.931	0.844	0.598	0.226	0.226	1.899	0.940
14	167.5 ≤* < 172.5	1.89114	1.870	0.925	1.844	0.919	1.756	0.917	0.831	0.589	0.223	0.223	1.871	0.926
13	162.5 ≤* < 167.5	1.86473	1.841	0.911	1.816	0.905	1.729	0.904	0.819	0.580	0.219	0.219	1.842	0.912
12	157.5 ≤* < 162.5	1.83833	1.813	0.897	1.789	0.891	1.703	0.890	0.806	0.572	0.216	0.216	1.814	0.898
11	152.5 ≤* < 157.5	1.81193	1.785	0.883	1.761	0.877	1.676	0.876	0.794	0.563	0.212	0.212	1.786	0.884
10	147.5 ≤* < 152.5	1.78552	1.757	0.869	1.733	0.863	1.650	0.862	0.781	0.554	0.209	0.209	1.758	0.870
09	142.5 ≤* < 147.5	1.75912	1.729	0.855	1.705	0.849	1.624	0.848	0.769	0.545	0.206	0.206	1.730	0.856
08	137.5 ≤* < 142.5	1.73271	1.701	0.841	1.678	0.836	1.597	0.835	0.756	0.536	0.202	0.202	1.702	0.842
07	132.5 ≤* < 137.5	1.70631	1.673	0.827	1.650	0.822	1.571	0.821	0.744	0.527	0.199	0.199	1.674	0.828
06	127.5 ≤* < 132.5	1.67991	1.644	0.813	1.622	0.808	1.544	0.807	0.731	0.518	0.196	0.196	1.645	0.814
05	122.5 ≤* < 127.5	1.65350	1.616	0.799	1.594	0.794	1.518	0.793	0.719	0.509	0.192	0.192	1.617	0.800
04	117.5 ≤* < 122.5	1.62710	1.588	0.785	1.567	0.780	1.492	0.779	0.706	0.501	0.189	0.189	1.589	0.786
03	112.5 ≤* < 117.5	1.60069	1.560	0.772	1.539	0.766	1.465	0.766	0.694	0.492	0.186	0.186	1.561	0.772
02	107.5 ≤* < 112.5	1.57429	1.532	0.758	1.511	0.753	1.439	0.752	0.681	0.483	0.182	0.182	1.533	0.758
01	102.5 ≤* < 107.5	1.54788	1.504	0.744	1.483	0.739	1.412	0.738	0.669	0.474	0.179	0.179	1.505	0.745
00	97.5 ≤* < 102.5	1.52148	1.476	0.730	1.456	0.725	1.386	0.724	0.656	0.465	0.176	0.176	1.476	0.731
-01	92.5 ≤* < 97.5	1.49508	1.448	0.716	1.428	0.711	1.359	0.710	0.644	0.456	0.172	0.172	1.448	0.717
-02	87.5 ≤* < 92.5	1.46867	1.419	0.702	1.400	0.697	1.333	0.697	0.631	0.447	0.169	0.169	1.420	0.703
-03	82.5 ≤* < 87.5	1.44227	1.391	0.688	1.372	0.684	1.307	0.683	0.619	0.439	0.166	0.166	1.392	0.689
-04	77.5 ≤* < 82.5	1.41586	1.363	0.674	1.345	0.670	1.280	0.669	0.606	0.430	0.162	0.162	1.364	0.675
-05	72.5 ≤* < 77.5	1.38946	1.335	0.660	1.317	0.656	1.254	0.655	0.593	0.421	0.159	0.159	1.336	0.661
-06	67.5 ≤* < 72.5	1.36306	1.307	0.646	1.289	0.642	1.227	0.641	0.581	0.412	0.156	0.156	1.308	0.647
-07	62.5 ≤* < 67.5	1.33665	1.279	0.632	1.261	0.628	1.201	0.628	0.568	0.403	0.152	0.152	1.279	0.633
-08	57.5 ≤* < 62.5	1.31025	1.251	0.618	1.234	0.614	1.174	0.614	0.556	0.394	0.149	0.149	1.251	0.619
-09	52.5 ≤* < 57.5	1.28384	1.222	0.605	1.206	0.601	1.148	0.600	0.543	0.385	0.145	0.145	1.223	0.605
-10	47.5 ≤* < 52.5	1.25744	1.194	0.591	1.178	0.587	1.122	0.586	0.531	0.376	0.142	0.142	1.195	0.591
-11	42.5 ≤* < 47.5	1.23104	1.166	0.577	1.150	0.573	1.095	0.572	0.518	0.368	0.139	0.139	1.167	0.577
-12	37.5 ≤* < 42.5	1.20463	1.138	0.563	1.123	0.559	1.069	0.559	0.506	0.359	0.135	0.135	1.139	0.563
-13	32.5 ≤* < 37.5	1.17823	1.110	0.549	1.095	0.545	1.042	0.545	0.493	0.350	0.132	0.132	1.111	0.550
-14	27.5 ≤* < 32.5	1.15182	1.082	0.535	1.067	0.531	1.016	0.531	0.481	0.341	0.129	0.129	1.082	0.536
-15	22.5 ≤* < 27.5	1.12542	1.054	0.521	1.039	0.518	0.990	0.517	0.468	0.332	0.125	0.125	1.054	0.522
-16	17.5 ≤* < 22.5	1.09902	1.026	0.507	1.012	0.504	0.963	0.503	0.456	0.323	0.122	0.122	1.026	0.508
-17	12.5 ≤* < 17.5	1.07261	0.997	0.493	0.984	0.490	0.937	0.489	0.443	0.314	0.119	0.119	0.998	0.494
-18	7.5 ≤* < 12.5	1.04621	0.969	0.479	0.956	0.476	0.910	0.476	0.431	0.306	0.115	0.115	0.970	0.480
-19	2.5 ≤* < 7.5	1.01980	0.941	0.465	0.928	0.462	0.884	0.462	0.418	0.297	0.112	0.112	0.942	0.466
-20	0.0 ≤* < 2.5	1.00000	0.920	0.455	0.907	0.452	0.864	0.451	0.409	0.290	0.109	0.109	0.920	0.455

危険段階別共済掛金率

都道府県名	山梨県		共済事業	園芸施設共済
組合等名	山梨県農業共済組合		料率地域区分	補強施設、集団加入
地域名	山梨県の区域			

施設区分			共済掛金区分											
40 プラスチックハウスⅡ類(パイプ)			撤去											
小損害不填補の金額			3万円		10万円		20万円		50万円		100万円		1万円	
共済掛金標準率			0.013	0.006	0.012	0.005	0.011	0.004	0.010	0.003	0.010	0.002	0.014	0.006
危険段階区分	平均損害率(*)の範囲(%)	危険指数	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
20	197.5 ≤* <	3.41913	0.027	0.012	0.025	0.010	0.023	0.008	0.021	0.006	0.021	0.004	0.029	0.012
19	192.5 ≤* < 197.5	2.02316	0.014	0.007	0.013	0.005	0.012	0.004	0.011	0.003	0.011	0.002	0.015	0.007
18	187.5 ≤* < 192.5	1.99675	0.014	0.006	0.013	0.005	0.012	0.004	0.011	0.003	0.011	0.002	0.015	0.006
17	182.5 ≤* < 187.5	1.97035	0.014	0.006	0.013	0.005	0.012	0.004	0.011	0.003	0.011	0.002	0.015	0.006
16	177.5 ≤* < 182.5	1.94395	0.014	0.006	0.013	0.005	0.012	0.004	0.010	0.003	0.010	0.002	0.015	0.006
15	172.5 ≤* < 177.5	1.91754	0.013	0.006	0.012	0.005	0.011	0.004	0.010	0.003	0.010	0.002	0.014	0.006
14	167.5 ≤* < 172.5	1.89114	0.013	0.006	0.012	0.005	0.011	0.004	0.010	0.003	0.010	0.002	0.014	0.006
13	162.5 ≤* < 167.5	1.86473	0.013	0.006	0.012	0.005	0.011	0.004	0.010	0.003	0.010	0.002	0.014	0.006
12	157.5 ≤* < 162.5	1.83833	0.013	0.006	0.012	0.005	0.011	0.004	0.010	0.003	0.010	0.002	0.014	0.006
11	152.5 ≤* < 157.5	1.81193	0.013	0.006	0.012	0.005	0.011	0.004	0.010	0.003	0.010	0.002	0.014	0.006
10	147.5 ≤* < 152.5	1.78552	0.012	0.006	0.011	0.005	0.011	0.004	0.010	0.003	0.010	0.002	0.013	0.006
09	142.5 ≤* < 147.5	1.75912	0.012	0.006	0.011	0.005	0.010	0.004	0.009	0.003	0.009	0.002	0.013	0.006
08	137.5 ≤* < 142.5	1.73271	0.012	0.006	0.011	0.005	0.010	0.004	0.009	0.003	0.009	0.002	0.013	0.006
07	132.5 ≤* < 137.5	1.70631	0.012	0.005	0.011	0.005	0.010	0.004	0.009	0.003	0.009	0.002	0.013	0.005
06	127.5 ≤* < 132.5	1.67991	0.012	0.005	0.011	0.004	0.010	0.004	0.009	0.003	0.009	0.002	0.013	0.005
05	122.5 ≤* < 127.5	1.65350	0.011	0.005	0.011	0.004	0.010	0.004	0.009	0.003	0.009	0.002	0.012	0.005
04	117.5 ≤* < 122.5	1.62710	0.011	0.005	0.010	0.004	0.009	0.003	0.009	0.003	0.009	0.002	0.012	0.005
03	112.5 ≤* < 117.5	1.60069	0.011	0.005	0.010	0.004	0.009	0.003	0.008	0.003	0.008	0.002	0.012	0.005
02	107.5 ≤* < 112.5	1.57429	0.011	0.005	0.010	0.004	0.009	0.003	0.008	0.002	0.008	0.002	0.012	0.005
01	102.5 ≤* < 107.5	1.54788	0.011	0.005	0.010	0.004	0.009	0.003	0.008	0.002	0.008	0.002	0.011	0.005
00	97.5 ≤* < 102.5	1.52148	0.010	0.005	0.010	0.004	0.009	0.003	0.008	0.002	0.008	0.002	0.011	0.005
-01	92.5 ≤* < 97.5	1.49508	0.010	0.005	0.009	0.004	0.009	0.003	0.008	0.002	0.008	0.002	0.011	0.005
-02	87.5 ≤* < 92.5	1.46867	0.010	0.005	0.009	0.004	0.008	0.003	0.008	0.002	0.008	0.002	0.011	0.005
-03	82.5 ≤* < 87.5	1.44227	0.010	0.005	0.009	0.004	0.008	0.003	0.008	0.002	0.008	0.002	0.011	0.005
-04	77.5 ≤* < 82.5	1.41586	0.010	0.004	0.009	0.004	0.008	0.003	0.007	0.002	0.007	0.001	0.010	0.004
-05	72.5 ≤* < 77.5	1.38946	0.009	0.004	0.009	0.004	0.008	0.003	0.007	0.002	0.007	0.001	0.010	0.004
-06	67.5 ≤* < 72.5	1.36306	0.009	0.004	0.009	0.004	0.008	0.003	0.007	0.002	0.007	0.001	0.010	0.004
-07	62.5 ≤* < 67.5	1.33665	0.009	0.004	0.008	0.003	0.008	0.003	0.007	0.002	0.007	0.001	0.010	0.004
-08	57.5 ≤* < 62.5	1.31025	0.009	0.004	0.008	0.003	0.007	0.003	0.007	0.002	0.007	0.001	0.010	0.004
-09	52.5 ≤* < 57.5	1.28384	0.009	0.004	0.008	0.003	0.007	0.003	0.007	0.002	0.007	0.001	0.009	0.004
-10	47.5 ≤* < 52.5	1.25744	0.008	0.004	0.008	0.003	0.007	0.003	0.006	0.002	0.006	0.001	0.009	0.004
-11	42.5 ≤* < 47.5	1.23104	0.008	0.004	0.008	0.003	0.007	0.003	0.006	0.002	0.006	0.001	0.009	0.004
-12	37.5 ≤* < 42.5	1.20463	0.008	0.004	0.007	0.003	0.007	0.002	0.006	0.002	0.006	0.001	0.009	0.004
-13	32.5 ≤* < 37.5	1.17823	0.008	0.004	0.007	0.003	0.007	0.002	0.006	0.002	0.006	0.001	0.008	0.004
-14	27.5 ≤* < 32.5	1.15182	0.008	0.004	0.007	0.003	0.006	0.002	0.006	0.002	0.006	0.001	0.008	0.004
-15	22.5 ≤* < 27.5	1.12542	0.007	0.003	0.007	0.003	0.006	0.002	0.006	0.002	0.006	0.001	0.008	0.003
-16	17.5 ≤* < 22.5	1.09902	0.007	0.003	0.007	0.003	0.006	0.002	0.006	0.002	0.006	0.001	0.008	0.003
-17	12.5 ≤* < 17.5	1.07261	0.007	0.003	0.007	0.003	0.006	0.002	0.005	0.002	0.005	0.001	0.008	0.003
-18	7.5 ≤* < 12.5	1.04621	0.007	0.003	0.006	0.003	0.006	0.002	0.005	0.002	0.005	0.001	0.007	0.003
-19	2.5 ≤* < 7.5	1.01980	0.007	0.003	0.006	0.003	0.006	0.002	0.005	0.002	0.005	0.001	0.007	0.003
-20	0.0 ≤* < 2.5	1.00000	0.006	0.003	0.006	0.002	0.005	0.002	0.005	0.001	0.005	0.001	0.007	0.003

危険段階別共済掛金率

都道府県名			山梨県		共済事業				園芸施設共済					
組合等名			山梨県農業共済組合		料率地域区分				補強施設、集団加入					
地域名			山梨県の区域											
施設区分			共済掛金区分											
40 プラスチックハウスⅡ類(パイプ)			復旧											
小損害不填補の金額			3万円		10万円		20万円		50万円		100万円		1万円	
共済掛金標準率			1.609	0.016	1.467	0.011	1.312	0.010	1.110	0.010	0.841	0.005	1.610	0.018
危険段階区分	平均損害率(*)の範囲(%)	危険指数	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
20	197.5 ≤* <	3.41913	3.303	0.033	3.012	0.023	2.694	0.021	2.279	0.021	1.727	0.010	3.305	0.037
19	192.5 ≤* < 197.5	2.02316	1.758	0.017	1.603	0.012	1.433	0.011	1.213	0.011	0.919	0.005	1.759	0.020
18	187.5 ≤* < 192.5	1.99675	1.733	0.017	1.580	0.012	1.413	0.011	1.196	0.011	0.906	0.005	1.734	0.019
17	182.5 ≤* < 187.5	1.97035	1.709	0.017	1.558	0.012	1.393	0.011	1.179	0.011	0.893	0.005	1.710	0.019
16	177.5 ≤* < 182.5	1.94395	1.684	0.017	1.535	0.012	1.373	0.010	1.162	0.010	0.880	0.005	1.685	0.019
15	172.5 ≤* < 177.5	1.91754	1.659	0.017	1.513	0.011	1.353	0.010	1.145	0.010	0.867	0.005	1.660	0.019
14	167.5 ≤* < 172.5	1.89114	1.635	0.016	1.491	0.011	1.333	0.010	1.128	0.010	0.855	0.005	1.636	0.018
13	162.5 ≤* < 167.5	1.86473	1.610	0.016	1.468	0.011	1.313	0.010	1.111	0.010	0.842	0.005	1.611	0.018
12	157.5 ≤* < 162.5	1.83833	1.586	0.016	1.446	0.011	1.293	0.010	1.094	0.010	0.829	0.005	1.587	0.018
11	152.5 ≤* < 157.5	1.81193	1.561	0.016	1.423	0.011	1.273	0.010	1.077	0.010	0.816	0.005	1.562	0.017
10	147.5 ≤* < 152.5	1.78552	1.536	0.015	1.401	0.011	1.253	0.010	1.060	0.010	0.803	0.005	1.537	0.017
09	142.5 ≤* < 147.5	1.75912	1.512	0.015	1.378	0.010	1.233	0.009	1.043	0.009	0.790	0.005	1.513	0.017
08	137.5 ≤* < 142.5	1.73271	1.487	0.015	1.356	0.010	1.213	0.009	1.026	0.009	0.777	0.005	1.488	0.017
07	132.5 ≤* < 137.5	1.70631	1.463	0.015	1.334	0.010	1.193	0.009	1.009	0.009	0.764	0.005	1.464	0.016
06	127.5 ≤* < 132.5	1.67991	1.438	0.014	1.311	0.010	1.173	0.009	0.992	0.009	0.752	0.004	1.439	0.016
05	122.5 ≤* < 127.5	1.65350	1.413	0.014	1.289	0.010	1.153	0.009	0.975	0.009	0.739	0.004	1.414	0.016
04	117.5 ≤* < 122.5	1.62710	1.389	0.014	1.266	0.009	1.132	0.009	0.958	0.009	0.726	0.004	1.390	0.016
03	112.5 ≤* < 117.5	1.60069	1.364	0.014	1.244	0.009	1.112	0.008	0.941	0.008	0.713	0.004	1.365	0.015
02	107.5 ≤* < 112.5	1.57429	1.340	0.013	1.221	0.009	1.092	0.008	0.924	0.008	0.700	0.004	1.340	0.015
01	102.5 ≤* < 107.5	1.54788	1.315	0.013	1.199	0.009	1.072	0.008	0.907	0.008	0.687	0.004	1.316	0.015
00	97.5 ≤* < 102.5	1.52148	1.290	0.013	1.177	0.009	1.052	0.008	0.890	0.008	0.674	0.004	1.291	0.014
-01	92.5 ≤* < 97.5	1.49508	1.266	0.013	1.154	0.009	1.032	0.008	0.873	0.008	0.662	0.004	1.267	0.014
-02	87.5 ≤* < 92.5	1.46867	1.241	0.012	1.132	0.008	1.012	0.008	0.856	0.008	0.649	0.004	1.242	0.014
-03	82.5 ≤* < 87.5	1.44227	1.217	0.012	1.109	0.008	0.992	0.008	0.839	0.008	0.636	0.004	1.217	0.014
-04	77.5 ≤* < 82.5	1.41586	1.192	0.012	1.087	0.008	0.972	0.007	0.822	0.007	0.623	0.004	1.193	0.013
-05	72.5 ≤* < 77.5	1.38946	1.167	0.012	1.064	0.008	0.952	0.007	0.805	0.007	0.610	0.004	1.168	0.013
-06	67.5 ≤* < 72.5	1.36306	1.143	0.011	1.042	0.008	0.932	0.007	0.788	0.007	0.597	0.004	1.143	0.013
-07	62.5 ≤* < 67.5	1.33665	1.118	0.011	1.019	0.008	0.912	0.007	0.771	0.007	0.584	0.003	1.119	0.013
-08	57.5 ≤* < 62.5	1.31025	1.094	0.011	0.997	0.007	0.892	0.007	0.754	0.007	0.572	0.003	1.094	0.012
-09	52.5 ≤* < 57.5	1.28384	1.069	0.011	0.975	0.007	0.872	0.007	0.737	0.007	0.559	0.003	1.070	0.012
-10	47.5 ≤* < 52.5	1.25744	1.044	0.010	0.952	0.007	0.852	0.006	0.720	0.006	0.546	0.003	1.045	0.012
-11	42.5 ≤* < 47.5	1.23104	1.020	0.010	0.930	0.007	0.832	0.006	0.704	0.006	0.533	0.003	1.020	0.011
-12	37.5 ≤* < 42.5	1.20463	0.995	0.010	0.907	0.007	0.811	0.006	0.687	0.006	0.520	0.003	0.996	0.011
-13	32.5 ≤* < 37.5	1.17823	0.971	0.010	0.885	0.007	0.791	0.006	0.670	0.006	0.507	0.003	0.971	0.011
-14	27.5 ≤* < 32.5	1.15182	0.946	0.009	0.862	0.006	0.771	0.006	0.653	0.006	0.494	0.003	0.947	0.011
-15	22.5 ≤* < 27.5	1.12542	0.921	0.009	0.840	0.006	0.751	0.006	0.636	0.006	0.482	0.003	0.922	0.010
-16	17.5 ≤* < 22.5	1.09902	0.897	0.009	0.818	0.006	0.731	0.006	0.619	0.006	0.469	0.003	0.897	0.010
-17	12.5 ≤* < 17.5	1.07261	0.872	0.009	0.795	0.006	0.711	0.005	0.602	0.005	0.456	0.003	0.873	0.010
-18	7.5 ≤* < 12.5	1.04621	0.848	0.008	0.773	0.006	0.691	0.005	0.585	0.005	0.443	0.003	0.848	0.009
-19	2.5 ≤* < 7.5	1.01980	0.823	0.008	0.750	0.006	0.671	0.005	0.568	0.005	0.430	0.003	0.823	0.009
-20	0.0 ≤* < 2.5	1.00000	0.804	0.008	0.733	0.005	0.656	0.005	0.555	0.005	0.420	0.002	0.805	0.009