

# 危険段階別共済掛金率

都道府県名	山梨県	共済事業	園芸施設共済
組合等名	山梨県農業共済組合	料率地域区分	補強施設
地域名	山梨県の区域		

施設区分			共済掛金区分											
40 プラスチックハウスⅡ類(パイプ)			特定附帯											
小損害不填補の金額			3万円		10万円		20万円		50万円		100万円		1万円	
共済掛金標準率			2.278	0.024	2.009	0.022	1.760	0.020	1.419	0.016	0.952	0.015	2.279	0.025
危険段階区分	平均損害率(*)の範囲(%)	危険指数	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
20	197.5 ≤* <	3.41913	4.677	0.049	4.125	0.045	3.613	0.041	2.913	0.033	1.954	0.031	4.679	0.051
19	192.5 ≤* < 197.5	2.02316	2.489	0.026	2.195	0.024	1.923	0.022	1.550	0.017	1.040	0.016	2.490	0.027
18	187.5 ≤* < 192.5	1.99675	2.454	0.026	2.164	0.024	1.896	0.022	1.529	0.017	1.026	0.016	2.455	0.027
17	182.5 ≤* < 187.5	1.97035	2.419	0.025	2.133	0.023	1.869	0.021	1.507	0.017	1.011	0.016	2.420	0.027
16	177.5 ≤* < 182.5	1.94395	2.384	0.025	2.103	0.023	1.842	0.021	1.485	0.017	0.996	0.016	2.385	0.026
15	172.5 ≤* < 177.5	1.91754	2.349	0.025	2.072	0.023	1.815	0.021	1.463	0.017	0.982	0.015	2.350	0.026
14	167.5 ≤* < 172.5	1.89114	2.315	0.024	2.041	0.022	1.788	0.020	1.442	0.016	0.967	0.015	2.316	0.025
13	162.5 ≤* < 167.5	1.86473	2.280	0.024	2.011	0.022	1.761	0.020	1.420	0.016	0.953	0.015	2.281	0.025
12	157.5 ≤* < 162.5	1.83833	2.245	0.024	1.980	0.022	1.734	0.020	1.398	0.016	0.938	0.015	2.246	0.025
11	152.5 ≤* < 157.5	1.81193	2.210	0.023	1.949	0.021	1.708	0.019	1.377	0.016	0.924	0.015	2.211	0.024
10	147.5 ≤* < 152.5	1.78552	2.175	0.023	1.918	0.021	1.681	0.019	1.355	0.015	0.909	0.014	2.176	0.024
09	142.5 ≤* < 147.5	1.75912	2.140	0.023	1.888	0.021	1.654	0.019	1.333	0.015	0.895	0.014	2.141	0.023
08	137.5 ≤* < 142.5	1.73271	2.106	0.022	1.857	0.020	1.627	0.018	1.312	0.015	0.880	0.014	2.107	0.023
07	132.5 ≤* < 137.5	1.70631	2.071	0.022	1.826	0.020	1.600	0.018	1.290	0.015	0.865	0.014	2.072	0.023
06	127.5 ≤* < 132.5	1.67991	2.036	0.021	1.796	0.020	1.573	0.018	1.268	0.014	0.851	0.013	2.037	0.022
05	122.5 ≤* < 127.5	1.65350	2.001	0.021	1.765	0.019	1.546	0.018	1.247	0.014	0.836	0.013	2.002	0.022
04	117.5 ≤* < 122.5	1.62710	1.966	0.021	1.734	0.019	1.519	0.017	1.225	0.014	0.822	0.013	1.967	0.022
03	112.5 ≤* < 117.5	1.60069	1.931	0.020	1.703	0.019	1.492	0.017	1.203	0.014	0.807	0.013	1.932	0.021
02	107.5 ≤* < 112.5	1.57429	1.897	0.020	1.673	0.018	1.465	0.017	1.181	0.013	0.793	0.012	1.897	0.021
01	102.5 ≤* < 107.5	1.54788	1.862	0.020	1.642	0.018	1.438	0.016	1.160	0.013	0.778	0.012	1.863	0.020
00	97.5 ≤* < 102.5	1.52148	1.827	0.019	1.611	0.018	1.412	0.016	1.138	0.013	0.763	0.012	1.828	0.020
-01	92.5 ≤* < 97.5	1.49508	1.792	0.019	1.580	0.017	1.385	0.016	1.116	0.013	0.749	0.012	1.793	0.020
-02	87.5 ≤* < 92.5	1.46867	1.757	0.019	1.550	0.017	1.358	0.015	1.095	0.012	0.734	0.012	1.758	0.019
-03	82.5 ≤* < 87.5	1.44227	1.722	0.018	1.519	0.017	1.331	0.015	1.073	0.012	0.720	0.011	1.723	0.019
-04	77.5 ≤* < 82.5	1.41586	1.688	0.018	1.488	0.016	1.304	0.015	1.051	0.012	0.705	0.011	1.688	0.019
-05	72.5 ≤* < 77.5	1.38946	1.653	0.017	1.458	0.016	1.277	0.015	1.030	0.012	0.691	0.011	1.653	0.018
-06	67.5 ≤* < 72.5	1.36306	1.618	0.017	1.427	0.016	1.250	0.014	1.008	0.011	0.676	0.011	1.619	0.018
-07	62.5 ≤* < 67.5	1.33665	1.583	0.017	1.396	0.015	1.223	0.014	0.986	0.011	0.662	0.010	1.584	0.017
-08	57.5 ≤* < 62.5	1.31025	1.548	0.016	1.365	0.015	1.196	0.014	0.964	0.011	0.647	0.010	1.549	0.017
-09	52.5 ≤* < 57.5	1.28384	1.513	0.016	1.335	0.015	1.169	0.013	0.943	0.011	0.632	0.010	1.514	0.017
-10	47.5 ≤* < 52.5	1.25744	1.479	0.016	1.304	0.014	1.142	0.013	0.921	0.010	0.618	0.010	1.479	0.016
-11	42.5 ≤* < 47.5	1.23104	1.444	0.015	1.273	0.014	1.115	0.013	0.899	0.010	0.603	0.010	1.444	0.016
-12	37.5 ≤* < 42.5	1.20463	1.409	0.015	1.243	0.014	1.089	0.012	0.878	0.010	0.589	0.009	1.410	0.015
-13	32.5 ≤* < 37.5	1.17823	1.374	0.014	1.212	0.013	1.062	0.012	0.856	0.010	0.574	0.009	1.375	0.015
-14	27.5 ≤* < 32.5	1.15182	1.339	0.014	1.181	0.013	1.035	0.012	0.834	0.009	0.560	0.009	1.340	0.015
-15	22.5 ≤* < 27.5	1.12542	1.304	0.014	1.150	0.013	1.008	0.011	0.813	0.009	0.545	0.009	1.305	0.014
-16	17.5 ≤* < 22.5	1.09902	1.270	0.013	1.120	0.012	0.981	0.011	0.791	0.009	0.531	0.008	1.270	0.014
-17	12.5 ≤* < 17.5	1.07261	1.235	0.013	1.089	0.012	0.954	0.011	0.769	0.009	0.516	0.008	1.235	0.014
-18	7.5 ≤* < 12.5	1.04621	1.200	0.013	1.058	0.012	0.927	0.011	0.747	0.008	0.501	0.008	1.200	0.013
-19	2.5 ≤* < 7.5	1.01980	1.165	0.012	1.028	0.011	0.900	0.010	0.726	0.008	0.487	0.008	1.166	0.013
-20	0.0 ≤* < 2.5	1.00000	1.139	0.012	1.004	0.011	0.880	0.010	0.709	0.008	0.476	0.007	1.139	0.012

# 危険段階別共済掛金率

都道府県名	山梨県		共済事業	園芸施設共済
組合等名	山梨県農業共済組合		料率地域区分	補強施設
地域名	山梨県の区域			

施設区分			共済掛金区分											
40 プラスチックハウスⅡ類(パイプ)			内作											
小損害不填補の金額			3万円		10万円		20万円		50万円		100万円		1万円	
共済掛金標準率			1.937	0.958	1.911	0.952	1.819	0.951	0.861	0.610	0.231	0.230	1.938	0.959
危険段階区分	平均損害率(*) の範囲(%)	危険指数	一般	事故除外	一般	事故除外	一般	事故除外	一般	事故除外	一般	事故除外	一般	事故除外
20	197.5 ≤* <	3.41913	3.977	1.967	3.923	1.954	3.734	1.952	1.768	1.252	0.474	0.472	3.979	1.969
19	192.5 ≤* < 197.5	2.02316	2.116	1.047	2.088	1.040	1.987	1.039	0.941	0.666	0.252	0.251	2.117	1.048
18	187.5 ≤* < 192.5	1.99675	2.087	1.032	2.059	1.026	1.959	1.024	0.927	0.657	0.249	0.248	2.088	1.033
17	182.5 ≤* < 187.5	1.97035	2.057	1.017	2.029	1.011	1.932	1.010	0.914	0.648	0.245	0.244	2.058	1.018
16	177.5 ≤* < 182.5	1.94395	2.027	1.003	2.000	0.996	1.904	0.995	0.901	0.638	0.242	0.241	2.028	1.004
15	172.5 ≤* < 177.5	1.91754	1.998	0.988	1.971	0.982	1.876	0.981	0.888	0.629	0.238	0.237	1.999	0.989
14	167.5 ≤* < 172.5	1.89114	1.968	0.973	1.942	0.967	1.848	0.966	0.875	0.620	0.235	0.234	1.969	0.974
13	162.5 ≤* < 167.5	1.86473	1.938	0.959	1.912	0.953	1.820	0.952	0.862	0.610	0.231	0.230	1.939	0.960
12	157.5 ≤* < 162.5	1.83833	1.909	0.944	1.883	0.938	1.793	0.937	0.848	0.601	0.228	0.227	1.910	0.945
11	152.5 ≤* < 157.5	1.81193	1.879	0.929	1.854	0.924	1.765	0.923	0.835	0.592	0.224	0.223	1.880	0.930
10	147.5 ≤* < 152.5	1.78552	1.850	0.915	1.825	0.909	1.737	0.908	0.822	0.582	0.221	0.220	1.851	0.916
09	142.5 ≤* < 147.5	1.75912	1.820	0.900	1.796	0.895	1.709	0.894	0.809	0.573	0.217	0.216	1.821	0.901
08	137.5 ≤* < 142.5	1.73271	1.790	0.885	1.766	0.880	1.681	0.879	0.796	0.564	0.214	0.213	1.791	0.886
07	132.5 ≤* < 137.5	1.70631	1.761	0.871	1.737	0.865	1.654	0.864	0.783	0.555	0.210	0.209	1.762	0.872
06	127.5 ≤* < 132.5	1.67991	1.731	0.856	1.708	0.851	1.626	0.850	0.770	0.545	0.206	0.206	1.732	0.857
05	122.5 ≤* < 127.5	1.65350	1.702	0.842	1.679	0.836	1.598	0.835	0.756	0.536	0.203	0.202	1.702	0.842
04	117.5 ≤* < 122.5	1.62710	1.672	0.827	1.649	0.822	1.570	0.821	0.743	0.527	0.199	0.199	1.673	0.828
03	112.5 ≤* < 117.5	1.60069	1.642	0.812	1.620	0.807	1.542	0.806	0.730	0.517	0.196	0.195	1.643	0.813
02	107.5 ≤* < 112.5	1.57429	1.613	0.798	1.591	0.793	1.514	0.792	0.717	0.508	0.192	0.191	1.614	0.798
01	102.5 ≤* < 107.5	1.54788	1.583	0.783	1.562	0.778	1.487	0.777	0.704	0.499	0.189	0.188	1.584	0.784
00	97.5 ≤* < 102.5	1.52148	1.553	0.768	1.533	0.763	1.459	0.763	0.691	0.489	0.185	0.184	1.554	0.769
-01	92.5 ≤* < 97.5	1.49508	1.524	0.754	1.503	0.749	1.431	0.748	0.677	0.480	0.182	0.181	1.525	0.754
-02	87.5 ≤* < 92.5	1.46867	1.494	0.739	1.474	0.734	1.403	0.734	0.664	0.471	0.178	0.177	1.495	0.740
-03	82.5 ≤* < 87.5	1.44227	1.465	0.724	1.445	0.720	1.375	0.719	0.651	0.461	0.175	0.174	1.465	0.725
-04	77.5 ≤* < 82.5	1.41586	1.435	0.710	1.416	0.705	1.348	0.705	0.638	0.452	0.171	0.170	1.436	0.710
-05	72.5 ≤* < 77.5	1.38946	1.405	0.695	1.386	0.691	1.320	0.690	0.625	0.443	0.168	0.167	1.406	0.696
-06	67.5 ≤* < 72.5	1.36306	1.376	0.680	1.357	0.676	1.292	0.675	0.612	0.433	0.164	0.163	1.376	0.681
-07	62.5 ≤* < 67.5	1.33665	1.346	0.666	1.328	0.662	1.264	0.661	0.598	0.424	0.161	0.160	1.347	0.666
-08	57.5 ≤* < 62.5	1.31025	1.317	0.651	1.299	0.647	1.236	0.646	0.585	0.415	0.157	0.156	1.317	0.652
-09	52.5 ≤* < 57.5	1.28384	1.287	0.636	1.270	0.632	1.208	0.632	0.572	0.405	0.153	0.153	1.288	0.637
-10	47.5 ≤* < 52.5	1.25744	1.257	0.622	1.240	0.618	1.181	0.617	0.559	0.396	0.150	0.149	1.258	0.622
-11	42.5 ≤* < 47.5	1.23104	1.228	0.607	1.211	0.603	1.153	0.603	0.546	0.387	0.146	0.146	1.228	0.608
-12	37.5 ≤* < 42.5	1.20463	1.198	0.593	1.182	0.589	1.125	0.588	0.533	0.377	0.143	0.142	1.199	0.593
-13	32.5 ≤* < 37.5	1.17823	1.168	0.578	1.153	0.574	1.097	0.574	0.519	0.368	0.139	0.139	1.169	0.578
-14	27.5 ≤* < 32.5	1.15182	1.139	0.563	1.124	0.560	1.069	0.559	0.506	0.359	0.136	0.135	1.139	0.564
-15	22.5 ≤* < 27.5	1.12542	1.109	0.549	1.094	0.545	1.042	0.545	0.493	0.349	0.132	0.132	1.110	0.549
-16	17.5 ≤* < 22.5	1.09902	1.080	0.534	1.065	0.531	1.014	0.530	0.480	0.340	0.129	0.128	1.080	0.534
-17	12.5 ≤* < 17.5	1.07261	1.050	0.519	1.036	0.516	0.986	0.515	0.467	0.331	0.125	0.125	1.050	0.520
-18	7.5 ≤* < 12.5	1.04621	1.020	0.505	1.007	0.501	0.958	0.501	0.454	0.321	0.122	0.121	1.021	0.505
-19	2.5 ≤* < 7.5	1.01980	0.991	0.490	0.977	0.487	0.930	0.486	0.440	0.312	0.118	0.118	0.991	0.490
-20	0.0 ≤* < 2.5	1.00000	0.968	0.479	0.955	0.476	0.909	0.475	0.430	0.305	0.115	0.115	0.969	0.479

# 危険段階別共済掛金率

都道府県名	山梨県	共済事業	園芸施設共済
組合等名	山梨県農業共済組合	料率地域区分	補強施設
地域名	山梨県の区域		

施設区分			共済掛金区分											
40 プラスチックハウスⅡ類(パイプ)			撤去											
小損害不填補の金額			3万円		10万円		20万円		50万円		100万円		1万円	
共済掛金標準率			0.014	0.006	0.013	0.005	0.012	0.004	0.011	0.003	0.010	0.003	0.014	0.007
危険段階区分	平均損害率(*)の範囲(%)	危険指数	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
20	197.5 ≤* <	3.41913	0.029	0.012	0.027	0.010	0.025	0.008	0.023	0.006	0.021	0.006	0.029	0.014
19	192.5 ≤* < 197.5	2.02316	0.015	0.007	0.014	0.005	0.013	0.004	0.012	0.003	0.011	0.003	0.015	0.008
18	187.5 ≤* < 192.5	1.99675	0.015	0.006	0.014	0.005	0.013	0.004	0.012	0.003	0.011	0.003	0.015	0.008
17	182.5 ≤* < 187.5	1.97035	0.015	0.006	0.014	0.005	0.013	0.004	0.012	0.003	0.011	0.003	0.015	0.007
16	177.5 ≤* < 182.5	1.94395	0.015	0.006	0.014	0.005	0.013	0.004	0.012	0.003	0.010	0.003	0.015	0.007
15	172.5 ≤* < 177.5	1.91754	0.014	0.006	0.013	0.005	0.012	0.004	0.011	0.003	0.010	0.003	0.014	0.007
14	167.5 ≤* < 172.5	1.89114	0.014	0.006	0.013	0.005	0.012	0.004	0.011	0.003	0.010	0.003	0.014	0.007
13	162.5 ≤* < 167.5	1.86473	0.014	0.006	0.013	0.005	0.012	0.004	0.011	0.003	0.010	0.003	0.014	0.007
12	157.5 ≤* < 162.5	1.83833	0.014	0.006	0.013	0.005	0.012	0.004	0.011	0.003	0.010	0.003	0.014	0.007
11	152.5 ≤* < 157.5	1.81193	0.014	0.006	0.013	0.005	0.012	0.004	0.011	0.003	0.010	0.003	0.014	0.007
10	147.5 ≤* < 152.5	1.78552	0.013	0.006	0.012	0.005	0.011	0.004	0.011	0.003	0.010	0.003	0.013	0.007
09	142.5 ≤* < 147.5	1.75912	0.013	0.006	0.012	0.005	0.011	0.004	0.010	0.003	0.009	0.003	0.013	0.007
08	137.5 ≤* < 142.5	1.73271	0.013	0.006	0.012	0.005	0.011	0.004	0.010	0.003	0.009	0.003	0.013	0.006
07	132.5 ≤* < 137.5	1.70631	0.013	0.005	0.012	0.005	0.011	0.004	0.010	0.003	0.009	0.003	0.013	0.006
06	127.5 ≤* < 132.5	1.67991	0.013	0.005	0.012	0.004	0.011	0.004	0.010	0.003	0.009	0.003	0.013	0.006
05	122.5 ≤* < 127.5	1.65350	0.012	0.005	0.011	0.004	0.011	0.004	0.010	0.003	0.009	0.003	0.012	0.006
04	117.5 ≤* < 122.5	1.62710	0.012	0.005	0.011	0.004	0.010	0.003	0.009	0.003	0.009	0.003	0.012	0.006
03	112.5 ≤* < 117.5	1.60069	0.012	0.005	0.011	0.004	0.010	0.003	0.009	0.003	0.008	0.003	0.012	0.006
02	107.5 ≤* < 112.5	1.57429	0.012	0.005	0.011	0.004	0.010	0.003	0.009	0.002	0.008	0.002	0.012	0.006
01	102.5 ≤* < 107.5	1.54788	0.011	0.005	0.011	0.004	0.010	0.003	0.009	0.002	0.008	0.002	0.011	0.006
00	97.5 ≤* < 102.5	1.52148	0.011	0.005	0.010	0.004	0.010	0.003	0.009	0.002	0.008	0.002	0.011	0.006
-01	92.5 ≤* < 97.5	1.49508	0.011	0.005	0.010	0.004	0.009	0.003	0.009	0.002	0.008	0.002	0.011	0.006
-02	87.5 ≤* < 92.5	1.46867	0.011	0.005	0.010	0.004	0.009	0.003	0.008	0.002	0.008	0.002	0.011	0.005
-03	82.5 ≤* < 87.5	1.44227	0.011	0.005	0.010	0.004	0.009	0.003	0.008	0.002	0.008	0.002	0.011	0.005
-04	77.5 ≤* < 82.5	1.41586	0.010	0.004	0.010	0.004	0.009	0.003	0.008	0.002	0.007	0.002	0.010	0.005
-05	72.5 ≤* < 77.5	1.38946	0.010	0.004	0.009	0.004	0.009	0.003	0.008	0.002	0.007	0.002	0.010	0.005
-06	67.5 ≤* < 72.5	1.36306	0.010	0.004	0.009	0.004	0.009	0.003	0.008	0.002	0.007	0.002	0.010	0.005
-07	62.5 ≤* < 67.5	1.33665	0.010	0.004	0.009	0.003	0.008	0.003	0.008	0.002	0.007	0.002	0.010	0.005
-08	57.5 ≤* < 62.5	1.31025	0.010	0.004	0.009	0.003	0.008	0.003	0.007	0.002	0.007	0.002	0.010	0.005
-09	52.5 ≤* < 57.5	1.28384	0.009	0.004	0.009	0.003	0.008	0.003	0.007	0.002	0.007	0.002	0.009	0.005
-10	47.5 ≤* < 52.5	1.25744	0.009	0.004	0.008	0.003	0.008	0.003	0.007	0.002	0.006	0.002	0.009	0.005
-11	42.5 ≤* < 47.5	1.23104	0.009	0.004	0.008	0.003	0.008	0.003	0.007	0.002	0.006	0.002	0.009	0.004
-12	37.5 ≤* < 42.5	1.20463	0.009	0.004	0.008	0.003	0.007	0.002	0.007	0.002	0.006	0.002	0.009	0.004
-13	32.5 ≤* < 37.5	1.17823	0.008	0.004	0.008	0.003	0.007	0.002	0.007	0.002	0.006	0.002	0.008	0.004
-14	27.5 ≤* < 32.5	1.15182	0.008	0.004	0.008	0.003	0.007	0.002	0.006	0.002	0.006	0.002	0.008	0.004
-15	22.5 ≤* < 27.5	1.12542	0.008	0.003	0.007	0.003	0.007	0.002	0.006	0.002	0.006	0.002	0.008	0.004
-16	17.5 ≤* < 22.5	1.09902	0.008	0.003	0.007	0.003	0.007	0.002	0.006	0.002	0.006	0.002	0.008	0.004
-17	12.5 ≤* < 17.5	1.07261	0.008	0.003	0.007	0.003	0.007	0.002	0.006	0.002	0.005	0.002	0.008	0.004
-18	7.5 ≤* < 12.5	1.04621	0.007	0.003	0.007	0.003	0.006	0.002	0.006	0.002	0.005	0.002	0.007	0.004
-19	2.5 ≤* < 7.5	1.01980	0.007	0.003	0.007	0.003	0.006	0.002	0.006	0.002	0.005	0.002	0.007	0.004
-20	0.0 ≤* < 2.5	1.00000	0.007	0.003	0.006	0.002	0.006	0.002	0.005	0.001	0.005	0.001	0.007	0.003

# 危険段階別共済掛金率

都道府県名	山梨県		共済事業	園芸施設共済
組合等名	山梨県農業共済組合		料率地域区分	補強施設
地域名	山梨県の区域			

施設区分			共済掛金区分											
40 プラスチックハウスⅡ類(パイプ)			復旧											
小損害不填補の金額			3万円		10万円		20万円		50万円		100万円		1万円	
共済掛金標準率			1.693	0.017	1.544	0.012	1.381	0.011	1.168	0.010	0.886	0.005	1.695	0.019
危険段階区分	平均損害率(*) の範囲(%)	危険指数	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆	被覆	未被覆
20	197.5 ≤* <	3.41913	3.476	0.035	3.170	0.025	2.835	0.023	2.398	0.021	1.819	0.010	3.480	0.039
19	192.5 ≤* < 197.5	2.02316	1.850	0.019	1.687	0.013	1.509	0.012	1.276	0.011	0.968	0.005	1.852	0.021
18	187.5 ≤* < 192.5	1.99675	1.824	0.018	1.663	0.013	1.488	0.012	1.258	0.011	0.954	0.005	1.826	0.020
17	182.5 ≤* < 187.5	1.97035	1.798	0.018	1.640	0.013	1.467	0.012	1.240	0.011	0.941	0.005	1.800	0.020
16	177.5 ≤* < 182.5	1.94395	1.772	0.018	1.616	0.013	1.445	0.012	1.222	0.010	0.927	0.005	1.774	0.020
15	172.5 ≤* < 177.5	1.91754	1.746	0.018	1.592	0.012	1.424	0.011	1.205	0.010	0.914	0.005	1.748	0.020
14	167.5 ≤* < 172.5	1.89114	1.720	0.017	1.569	0.012	1.403	0.011	1.187	0.010	0.900	0.005	1.722	0.019
13	162.5 ≤* < 167.5	1.86473	1.694	0.017	1.545	0.012	1.382	0.011	1.169	0.010	0.887	0.005	1.696	0.019
12	157.5 ≤* < 162.5	1.83833	1.668	0.017	1.522	0.012	1.361	0.011	1.151	0.010	0.873	0.005	1.670	0.019
11	152.5 ≤* < 157.5	1.81193	1.643	0.016	1.498	0.012	1.340	0.011	1.133	0.010	0.860	0.005	1.644	0.018
10	147.5 ≤* < 152.5	1.78552	1.617	0.016	1.474	0.011	1.319	0.011	1.115	0.010	0.846	0.005	1.619	0.018
09	142.5 ≤* < 147.5	1.75912	1.591	0.016	1.451	0.011	1.298	0.010	1.097	0.009	0.832	0.005	1.593	0.018
08	137.5 ≤* < 142.5	1.73271	1.565	0.016	1.427	0.011	1.276	0.010	1.080	0.009	0.819	0.005	1.567	0.018
07	132.5 ≤* < 137.5	1.70631	1.539	0.015	1.404	0.011	1.255	0.010	1.062	0.009	0.805	0.005	1.541	0.017
06	127.5 ≤* < 132.5	1.67991	1.513	0.015	1.380	0.011	1.234	0.010	1.044	0.009	0.792	0.004	1.515	0.017
05	122.5 ≤* < 127.5	1.65350	1.487	0.015	1.356	0.011	1.213	0.010	1.026	0.009	0.778	0.004	1.489	0.017
04	117.5 ≤* < 122.5	1.62710	1.461	0.015	1.333	0.010	1.192	0.009	1.008	0.009	0.765	0.004	1.463	0.016
03	112.5 ≤* < 117.5	1.60069	1.435	0.014	1.309	0.010	1.171	0.009	0.990	0.008	0.751	0.004	1.437	0.016
02	107.5 ≤* < 112.5	1.57429	1.410	0.014	1.285	0.010	1.150	0.009	0.972	0.008	0.738	0.004	1.411	0.016
01	102.5 ≤* < 107.5	1.54788	1.384	0.014	1.262	0.010	1.129	0.009	0.955	0.008	0.724	0.004	1.385	0.016
00	97.5 ≤* < 102.5	1.52148	1.358	0.014	1.238	0.010	1.108	0.009	0.937	0.008	0.711	0.004	1.359	0.015
-01	92.5 ≤* < 97.5	1.49508	1.332	0.013	1.215	0.009	1.086	0.009	0.919	0.008	0.697	0.004	1.333	0.015
-02	87.5 ≤* < 92.5	1.46867	1.306	0.013	1.191	0.009	1.065	0.008	0.901	0.008	0.683	0.004	1.308	0.015
-03	82.5 ≤* < 87.5	1.44227	1.280	0.013	1.167	0.009	1.044	0.008	0.883	0.008	0.670	0.004	1.282	0.014
-04	77.5 ≤* < 82.5	1.41586	1.254	0.013	1.144	0.009	1.023	0.008	0.865	0.007	0.656	0.004	1.256	0.014
-05	72.5 ≤* < 77.5	1.38946	1.228	0.012	1.120	0.009	1.002	0.008	0.847	0.007	0.643	0.004	1.230	0.014
-06	67.5 ≤* < 72.5	1.36306	1.202	0.012	1.097	0.009	0.981	0.008	0.830	0.007	0.629	0.004	1.204	0.013
-07	62.5 ≤* < 67.5	1.33665	1.177	0.012	1.073	0.008	0.960	0.008	0.812	0.007	0.616	0.003	1.178	0.013
-08	57.5 ≤* < 62.5	1.31025	1.151	0.012	1.049	0.008	0.939	0.007	0.794	0.007	0.602	0.003	1.152	0.013
-09	52.5 ≤* < 57.5	1.28384	1.125	0.011	1.026	0.008	0.918	0.007	0.776	0.007	0.589	0.003	1.126	0.013
-10	47.5 ≤* < 52.5	1.25744	1.099	0.011	1.002	0.008	0.896	0.007	0.758	0.006	0.575	0.003	1.100	0.012
-11	42.5 ≤* < 47.5	1.23104	1.073	0.011	0.979	0.008	0.875	0.007	0.740	0.006	0.562	0.003	1.074	0.012
-12	37.5 ≤* < 42.5	1.20463	1.047	0.011	0.955	0.007	0.854	0.007	0.722	0.006	0.548	0.003	1.048	0.012
-13	32.5 ≤* < 37.5	1.17823	1.021	0.010	0.931	0.007	0.833	0.007	0.705	0.006	0.534	0.003	1.022	0.011
-14	27.5 ≤* < 32.5	1.15182	0.995	0.010	0.908	0.007	0.812	0.006	0.687	0.006	0.521	0.003	0.997	0.011
-15	22.5 ≤* < 27.5	1.12542	0.969	0.010	0.884	0.007	0.791	0.006	0.669	0.006	0.507	0.003	0.971	0.011
-16	17.5 ≤* < 22.5	1.09902	0.944	0.009	0.861	0.007	0.770	0.006	0.651	0.006	0.494	0.003	0.945	0.011
-17	12.5 ≤* < 17.5	1.07261	0.918	0.009	0.837	0.007	0.749	0.006	0.633	0.005	0.480	0.003	0.919	0.010
-18	7.5 ≤* < 12.5	1.04621	0.892	0.009	0.813	0.006	0.727	0.006	0.615	0.005	0.467	0.003	0.893	0.010
-19	2.5 ≤* < 7.5	1.01980	0.866	0.009	0.790	0.006	0.706	0.006	0.597	0.005	0.453	0.003	0.867	0.010
-20	0.0 ≤* < 2.5	1.00000	0.846	0.008	0.772	0.006	0.690	0.005	0.584	0.005	0.443	0.002	0.847	0.009